Date Prepared05/2001Revised3/24/09 P. WattPrepared ByCarla McGreevy

BMP <u>Automotive #9</u>

## TITLE: ABSORBANT SPILL MATERIAL DISPOSAL

## Regulatory Citation: Not Applicable.

Applicability: Spent absorbent generated by spill clean up in the Automotive Department.

**Purpose:** Proper handling, storage and disposal of absorbent material used for spill clean up.

## Person or

**Department Responsible:** Automotive Department Chairman (629-7272)

- Schedule: As needed
- **Procedures:** Absorbent materials used to clean up oil or antifreeze spills will be placed in a drum labeled Used Speedi dri. Once the drum is full the Automotive Technician will arrange for the proper removal and disposal of the drum by the current vendor. The Automotive Technician will sign the receipt and retain and send a copy to the Director of EHS. Gasoline spill material should not be mixed in these containers.

Absorbent materials used to clean up gasoline spills will be placed in a container or drum labeled, "Gas spill waste" and "Hazardous waste." The label will be dated and the container moved to the hazardous waste storage shed for pick up by the approved hazardous waste vendor. The Automotive Technician will sign the hazardous waste manifest and send to the Director of EHS for tracking.

Record keeping: hazardous waste manifests

Record Location: EHS Office, environmental files

**Contact:** Automotive Department Technician (629-7190) Director of Environmental, Health and Safety (629-7163)

HVCC-BMP-#9spill disposal