Date Prepared 7/2004 Revised Prepared By Patty Watt

BMP EOC #23

TITLE: Tank Delivery/Transfer Procedures

Regulatory Citation: 40 CFR Part 112

**Applicability:** Delivery and Tank Transfer to aboveground tanks.

Purpose: Ensure proper deliveries and transfer and prevent spillage during off loading.

Person or

**Department Responsible:** Associate Coordinator of Business Services

**Schedule:** As deliveries occur

**Procedures:** When delivery driver arrives on-site, the driver must notify the Business Services

office. All deliveries are to be overseen by EOC personnel. All delivery drivers are

required to stay with their vehicles during deliveries.

Prior to Delivery

 Any storm drains located adjacent to the tank must be sealed with a spill mat or blocked with absorbent spill pads.

- The tank contents must be reviewed to verify that adequate capacity exists in the tank.
- The truck tires must be chocked during delivery and the gearshift tagged to prevent the truck from moving.
- The delivery hoses must be inspected for evidence of deterioration or cracks.
- All ignition sources must be removed from the area.
- The truck must be inspected to ensure that it is not leaking.

## During the Delivery

- To the extent possible, minimize traffic or personnel entering the delivery area.
- Inspect the area for leaks.
- Ensure the tank gauge is working properly.
- After the Delivery
  - Ensure all tank and truck valves are sealed and tight
  - Inspect area for spills

EOC will use the attached checklist to verify all procedures are followed. Drain mats and spill material are kept in designated areas near the tanks.

**Record keeping:** Attached checklist shall be completed for each delivery/off load and given to the

Asso. Coordinator of Business Services and made available for review by the

Coord of EHS and others upon request

**Record Location:** EOC Business Services records

Contact:

Asso. Coord of Business Services 273-1900 Coordinator of Environmental, Health and Safety (629-7163)

#23 Tank deliveries

## TANK DELIVERY LOG Hudson Valley Community College, EOC

Location	D/P Co
Tank	EOC Personnel:
Quantity D/P:	Date:
ITEM	COMMENTS
Area inspected prior to delivery: - storm drains sealed or protected - no traffic or personnel in area	
Tank capacity to receive delivery verified	
Ignition sources eliminated	
Wheels chocked or other means to lock brakes fail safe applied	
Hoses inspected for evidence of deterioration or cracks	
Truck inspected for leaks	
Tank gauges working	
Area inspected after delivery for spills	
Tank and truck valves re-sealed after delivery	